

INSTRUCTIONS FOR USE

FIREDEVIL 911 X-TREME 2.0

GUIDE INFORMATION FOR USE

MODEL: FIREDEVIL 911 X-TREME 2.0 long



DESCRIPTION

The FIREDEVIL 911 X-TREME 2.0 is a development that builds upon the FIRE DEVIL PREMIUM - the protective gloves for heavy-duty fire service work. They rank as the most innovative and safest firemen's glove on the German market. They protect from extreme thermal impact as well as the risks that come from machines and movable objects. Shrinkage, even with direct flame impingement is minimal. Unlike most firemen's gloves, there is no hardening of the textile material.

The gloves are available in sizes 5 - 13.

APPLICATION

1. The gloves should be used according to its purpose.
2. Before every use, the gloves should be checked for possible damage.
3. Damaged gloves reduce the protective properties. The gloves should be kept clean.
4. Gloves that have become wet must not be dried by means of heating equipment.
5. Improper use of gloves can cause serious injuries or burns. In this case, the manufacturer assumes no responsibility.

As a user of the gloves, please observe the following instructions:

The gloves are only a part of the protective equipment for use. They protect the hands against heat and fire. However, they must not come into contact with open flames. At the same time, the gloves protect against mechanical risks such as abrasion, cuts, tearing and punctures.

In cases where there is a risk of getting caught in moving machine parts, gloves should not be worn.

TECHNICAL DATA

| | REQUEST | RESULT |
|------------------------|----------------|--------|
| Abrasion resistance | 3 | 3 |
| Cut resistance | 2 | 5 |
| Tear resistance | 3 | 4 |
| Stitch Strength | 3 | 3 |
| Dexterity | 1 | 5 |
| | | |
| | | |
| Burning behaviour | 4 | 4 |
| Convective heat | min. 13.0s | pass |
| Radiant heat | min. 22.0s | pass |
| Contact heat, dry 250° | min. 10,0s | pass |
| Contact heat, wet 250° | min. 10,0s | pass |
| Heat shrinkage | <_5% | pass |
| Seam strength | min. 350 N | pass |
| Take off glove, dry | <_3s | pass |
| Take off glove, wet | <_3s | pass |
| Chemical Penetration | no penetration | pass |

MODEL: FIREDEVIL 911 X-TREME 2.0 short



FIREFIGHTER PROTECTIVE GLOVE ACCORDING TO EN 659:2003+A1:2008

- Palm: Pearl catching knitwear from 100% Para-Aramid with flameresistant silicone carboncoating
- Backhand, back of thumb and layer: Pearl catching knitwear made of 60% PBI®gold and 40% Para-Aramid cuff: twill fabric 2/2 made of 100% Para-Aramid
- Porelle®- moisture barrier (windproof, waterproof, breathable)
- Cut protection and thermal insulation in the complete Hand part (doubleface knitted fabric made of Para-Aramid and polyglass needled with a fleece)
- Gathered padding in the finger, thumb and ankle area
- Fireproof knitted cuff
- Reversible Velcro fastener
- Snap hook & eyelet for attachment to the belt

The protective gloves meet the requirements of the European PPE re-gulation (EU) 2016/425 and protect against risks that are covered by the standards on which the certification is based. Applied standards are EN 659:2003+A1:2008 (protective gloves for firefighters) and EN 420:2003+A1:2009

INSTRUCTIONS FOR USE

FIREDEVIL 911 X-TREME 2.0

GUIDE INFORMATION FOR USE

CERTIFICATION

Notified certification body for personal protective equipment: (PSA):
Hohenstein Laboratories GmbH & Co. KG
Schloss Hohenstein
D-74357 Bönningheim
Identification number of the notified body NB 0555
Test report no. 16.1.72.0499

GLOVE SIZES

The glove sizes correspond to the application.
The gloves cover the hand and, depending on the cuff length, parts of the forearm.


STORAGE

Store in a ventilated room, preferably protected from light and dry

LIABILITY

We accept no liability for damage caused by the non-targeted use of the PPE or by any use that does not comply 100% with the instructions for use given below. Please contact the manufacturer for further information regarding care instructions, repair and safe disposal methods.

WASH INSTRUCTIONS



· according to washing expert opinion Lars Reuter (Master Textile Cleaner, Hamburg)

DECLARATION OF CONFORMITY

The declaration of conformity for this protective glove can be found at:
www.penkert.com

CLEANING INSTRUCTIONS

Please take the following from the sewn-in identification label

GENERAL INFORMATION

The results stated in the test report are based on laboratory tests carried out exclusively on unused gloves. Transferring the results to gloves after care treatment requires appropriate tests to be carried out.

The glove offers protection against puncturing with pointed objects in the sense of DIN EN 388:2016, but there is no protection against pointed objects such as injection needles.

The glove offers some protection against accidental contact with chemicals, but is not a protective glove against chemicals and microorganisms in the sense of DIN EN 374-1:2016+A1:2018.

We also point out that firefighter gloves should fit with the sleeves of the protective clothing so that the skin is not exposed when the arms are stretched out.

CHECK

An optical check for dirt and damage is essential. Damaged gloves must be discarded. The expiration time depends on the degree of wear, use and area of application.

The clothing has a shelf life of at least 5 years from the date of manufacture. Non-compliance with the notes/regulations listed in this manual and individual stress during use may reduce the durability of PPE.

PICTOGRAMS



EN 420:2003+A1:2009



EN 659:2003+A1:2008

