

INSTRUCTION FOR USE

215669

GUIDE INFORMATION FOR USE

MODEL: 215669

DESCRIPTION



This glove is particularly suitable for welding and handling hot objects, since this leather has a very low shrinkage and does not harden when exposed to heat.

APPLICATION

Check that the gloves provide sufficient protection for the work you have to do. Select a pair of gloves according to your hand size. Note observe the following points when using the gloves:

1. the glove does not protect against chemical and bacteriological dangers.
2. do not use these gloves near machines with rotating parts, otherwise your hand into the machine.
3. oil, grease and moisture reduce the resistance to cutting, increase the combustibility of all gloves and should can thus be avoided.

TECHNICAL DATA

	RESULT
Abrasion resistance	4
Cut resistance	1
Tear resistance	4
Stitch Strength	4
TDM: cut	X
Burning behaviour	LS 4
Contact heat	LS 1
Convective heat	LS 2
Radiant heat	X
Resistance to small drops of molten metal	LS 4
Resistance to large quantities of molten metal	X

Welding glove according to EN 388:2016 and EN 12477:2001 + A1 2005

- Hand part (palm) completely made of brown, heat-resistant special leather (Sebatan leather, approx. 1.2/1.4mm thick)
- Hand piece and gauntlet lined, piped
- Back of the hand, back of the thumb and cuff back in sebatan leather with aluminium lamination
- Total length approx. 35cm
- Yarn from 100% KEVLAR® brand fiber

INSTRUCTION FOR USE

215669

GUIDE INFORMATION FOR USE

CERTIFICATION

Approved certification body for personal protective equipment(PPE):
MIRTA-KONTROL d.o.o.
Javorinska 3, HR-10040 Zagreb - Dubrava, Hrvarska

Notified body 2474
Certificate No.: OZO271-CPT009/20
Test report No.: 1159-1/20

GLOVE SIZES

The glove sizes correspond to the intended use.
The gloves cover the hand and, depending on the length of the gauntlet, parts of the forearm.

STORAGE

The gloves should be stored in their original packaging in a dry, clean place. Avoid exposing them to moisture or high temperatures.

LIABILITY

We do not accept any liability for damage caused by a non-targeted use of the PPE or by any use that does not comply 100% with the instructions for use below. For further information regarding the care instructions, the repair and safe disposal methods, please contact the manufacturer.

WASH INSTRUCTIONS

The protective gloves 215669 must not be dry cleaned, washed or treated with bleach.

DECLARATION OF CONFORMITY

The declaration of conformity for this protective glove can be found at: www.penkert.com

CLEANING INSTRUCTIONS

Please remove the sewn-in identification label.

GENERAL INFORMATION

The results stated in the test report are based on laboratory tests carried out exclusively on unused gloves.
A transfer of the results to gloves according to Care treatment requires the performance of appropriate tests.
The glove offers protection against piercing with pointed objects as defined in DIN EN 388:2016, but there is no protection against pointed objects such as hypodermic needles.
The glove offers a certain degree of protection in the event of accidental contact with chemicals, but it does not provide protection against chemicals and micro-organisms as defined by EN ISO 374-1:2016+A1:2018.

CHECK

An optical check for dirt and damage is essential. Damaged gloves must be discarded. The expiration time depends on the degree of wear, use and area of application.
The clothing has a shelf life of at least 5 years from the date of manufacture. Non-compliance with the notes/regulations listed in this manual and individual stress during use may reduce the durability of PPE.

PICTOGRAMS

